

Luminescent molecular clusters of noble metals

T. Pradeep


Department of Chemistry
Indian Institute of Technology Madras
Chennai 600 036
pradeep@iitm.ac.in

Quantum clusters: Au_{25} , Au_{23} , Au_{22} , Au_8 , Ag_8 , Ag_9 , Ag_{25}

National Conference on Materials Chemistry, Guru Nanak College, February 9-11, 2011








Hardcover: 274 pages

Publisher: Elsevier Science Ltd (June 1978)

Language: English

ISBN-10: 0444416242

ISBN-13: 978-0444416247



Gold Chemistry


ISBN: 978-0-471-97369-0

Hardcover


908 pages


March 1999

Gold catalysis



Number of papers published per year after the discovery of gold catalysis.





Faraday's gold preserved in Royal Institution. From the site,
<http://www.rigb.org/rimain/heritage/faradaypage.jsp>

E
B
E
T
e
T



th 1845)



22/09/1791-25/08/1867



Faraday in his laboratory
Royal Institution

“With regard to *gold-leaf* no question respecting its metallic nature can arise, but it offers evidence reaching to the other preparations. The green colour conferred by pressure, and the removal of this colour by heat, evidently belong to it as a metal; these effects are very striking and important as

...they are simply cases of pure gold in a divided state; yet I have come to that conclusion, and believe that the differently-coloured fluids and particles are quite analogous....

reactions of gold, being so finely divided, insoluble in the fluids that refuse to act on the massive metal, and soluble in those that dissolve it, producing the same result. Heat makes these divided particles assume a ruby tint, yet such heat is not likely to take away their metallic character, and when heated they still act with chemical agents as gold. Pressure then confers the green colour, which heat takes away, and pressure reconfers. All these changes occur with particles attached to the substances which support them by the slightest possible mechanical force, just enough indeed to prevent their coalescence and to keep them apart and in place, and yet offering no resistance to any chemical action of test agents, as the acids, &c., not allowing any supposition of chemical

action between them and the body supporting them. Still this gold, unexceptionable as to metallic state, presents different colours when viewed by transmitted light. Ruby, green, violet, blue, &c., occur, and the mere degree of division appears to be the determining cause of many of these colours. The actions by the voltaic battery lead to the same

gold films produced by phosphorus have every belonging to the metallic state. When they are in colour, lustre, weight, &c., equal leaf, but in the unpressed state, their trans- colour is generally grey, or violet-grey. The on of their lustre and colour is gradual from est to the thinnest, and the same is generally thick films are gradually thinned and dis- whilst floating on solvents; the thick and the s must both be accepted as having the same of evidence for their metallic nature. When l to chemical agents, both the thick and the s have the same relations as pure metallic gold.

“It may be thought that the *fluid preparations* present more difficulty to the admission, that they are simply cases for pure gold in a divided state; yet I have come to that conclusion, and believe that the differently-coloured fluids and particles are quite analogous to those that occur in the deflagrations and the films. In the first place they are produced as the films are, except that the particles are separated under the surface and out of the contact of the air; still, when produced in sufficient quantity against the side of the containing vessel to form an adhering film, that film has every character of lustre, colour, &c., in the parts differing in thickness, that a film formed at the surface has.”

Experimental Relations of Gold (and Other Metals) to Light, M. Faraday, Philos. Trans. R. Soc. London, 1857, 147, 145



Gustav Mie (1868 - 1957)

Surface plasmons

1905



1940



Mie G. Beiträge zur Optik trüber Medien speziell kolloidaler Goldlösungen (contributions to the optics of diffuse media, especially colloid metal solutions). Ann Phys 1908;25:377–445. This paper, including an English translation, as well as other historic papers on light scattering and absorption can be found at www.iwt-bremen.de/vt/laser/wriedt/index_ns.html.




Silicon dioxide in Lycurgus cup = 73%
Silicon dioxide in Modern Glass = 70%
Sodium oxide in Lycurgus cup = 14%
Sodium oxide in Modern Glass = 15%
Calcium oxide in Lycurgus cup = 7%
Calcium oxide in Modern Glass = 10%

So why is it coloured? The glass contains very small amounts of gold (about 40 parts per million) and silver (about 300 parts per million)



Lycurgus cup; in transmitting light (left) and in reflected light (right). From the site, <http://www.thebritishmuseum.ac.uk>.

Gas phase cluster spectroscopy




Mass spectra of positively charged Ar, Kr, Xe clusters, W. Miehle, O. Kandler, T. Leisner, and O. Echt. (1989) *J. Chem. Phys.*, 91, 5940.

Laser desorption mass spectrometry



Smalley et al. Nature 1985

Supported gold clusters in catalysis



Schematic representation for CO oxidation pathways over Au/TiO₂.

M. Haruta. When Gold Is Not Noble: Catalysis by Nanoparticles. *Chem. Rec.* **2003**, 3, 75.

Magic clusters






Fig. 1 Organization of full-shell clusters: a first single atom (purple) is surrounded by 12 others (green) to give a one-shell cluster M_{13} . 42 atoms (red) can be densely packed on the 12 green atoms ending with the M_{55} two-shell cluster, followed by 92 atoms (yellow) and 162 atoms (blue) to give M_{147} and M_{309} , respectively.

From Gunter Schmidt, *Chem. Soc. Rev.* **2008**, 37, 1909-1930

Gold clusters



Au₁₃




Au₅₅

- **Au₅₅ [P(C₆H₅)₃]₁₂Cl₆** - a gold cluster of unusual size, Schmid, G.; Pfeil, R.; Boese, R.; Brandermann, F.; Meyer, S.; Calis, G. H. M.; Van der Velden.; Jan W. A. *Chemische Berichte* **1981**, 114, 3634.
- **Synthesis and x-ray structural characterization of the centered icosahedral gold cluster compound [Au₁₃ (PMe₂Ph)₁₀Cl₂](PF₆)₃; the realization of a theoretical prediction**, Briant, C. E.; Theobald, B. R. C.; White, J. W.; Bell, L. K.; Mingos, D. M. P.; Welch, A. J. *Chem. Commun.* **1981**, 5, 201.
- **Synthesis of water-soluble undecagold cluster compounds of potential importance in electron microscopic and other studies in biological systems**, Bartlett, P. A.; Bauer, B.; Singer, S. *J. Am. Chem. Soc.* **1978**, 100, 5085.



Monolayer Protected Metal Nanoparticles

Monolayer Protected Clusters (MPCs)



N. Sandhyarani and T. Pradeep, *Int. Rev. Phys. Chem.* **2003**

Molecular Clusters




- **28 kDa Alkanethiolate-Protected Au Clusters Give Analogous Solution Electrochemistry and STM Coulomb Staircases**, Ingram, R. S.; Hostetler, M. J.; Murray, R. W.; Schaaff, T. G.; Khoury, J.; Whetten, R. L.; Bigioni, T. P.; Guthrie, D. K.; First, P. N. *J. Am. Chem. Soc.* **1997**, *119*, 9279.
- **Isolation of Smaller Nanocrystal Au Molecules: Robust Quantum Effects in Optical Spectra**, Schaaff, T. G.; Shafigullin, M. N.; Khoury, J. T.; Vezmar, I.; Whetten, R. L.; Cullen, W. G.; First, P. N.; Gutierrez-Wing, C.; Ascensio, J.; Jose-Yacaman, M. J. *J. Phys. Chem. B* **1997**, *101*, 7885.
- **Optical Absorption Spectra of Nanocrystal Gold Molecules**, Alvarez, M. M.; Khoury, J. T.; Schaaff, T. G.; Shafigullin, M. N.; Vezmar, I.; Whetten, R. L. *J. Phys. Chem. B* **1997**, *101*, 3706.




- **Isolation and Selected Properties of a 10.4 kDa Gold:Glutathione Cluster Compound**, Schaaff, T. G.; Knight, G.; Shafigullin, M. N.; Borkman, R. F.; Whetten, R. L. *J. Phys. Chem. B* **1998**, *102*, 10643.
- **Controlled Etching of Au:SR Cluster Compounds**, Schaaff, T. G.; Whetten, R. L. *J. Phys. Chem. B* **1999**, *103*, 9394.
- **Giant Gold-Glutathione Cluster Compounds: Intense Optical Activity in Metal-Based Transitions**, Schaaff, T. G.; Whetten, R. L. *J. Phys. Chem. B* **2000**, *104*, 2630.
- **Near-Infrared Luminescence from Small Gold Nanocrystals**, Bigioni, T. P.; Whetten, R. L.; Dag, O. *J. Phys. Chem. B* **2000**, *104*, 6983.
- **Properties of a Ubiquitous 29 kDa Au:SR Cluster Compound**. Schaaff, T. G.; Shafigullin, M. N.; Khoury, J. T.; Vezmar, I.; Whetten, R. L. *J. Phys. Chem. B* **2001**, *105*, 8785.
- **Visible to Infrared Luminescence from a 28-Atom Gold Cluster**, Link, S.; Beeby, A.; FitzGerald, S.; El-Sayed, M. A.; Schaaff, T. G.; Whetten, R. L. *J. Phys. Chem. B* **2002**, *106*, 3410.
- **All-Aromatic, Nanometer-Scale, Gold-Cluster Thiolate Complexes**, Price, R. C.; Whetten, R. L. *J. Am. Chem. Soc.* **2005**, *127*, 13750.

Au₁₀₂

Au₁₀₂(p-MBA)₄₄



Jadzinsky, P. D.; Calero, G.; Ackerson, C. J.; Bushnell, D. A.; Kornberg, R. D. Structure of a Thiol Monolayer–Protected Gold Nanoparticle at 1.1 Å Resolution *Science* **2007**, 318, 430.

A**B****C**

How to make them?